

# CHISLEHURST CAVES - RISK ASSESSMENT FOR TOUR GROUPS

<i>Hazard</i>	<i>Initial Risk</i>	<i>Control</i>	<i>Implemented by</i>	<i>Residual Risk</i>	<i>Overall Supervision</i>
Group split, lost children, inappropriate behavior.	<b>Medium</b>	Safety briefing at start of the tour. Group supervision and management.	Tour guide Group leaders	<b>Low</b>	Cave Manager
Irregular floors with some damp areas	<b>Medium</b>	Safety briefing at start of the tour with any specific risk areas indicated during the tour.	Tour guide	<b>Low</b>	Cave Manager
Low roofs	<b>Medium</b>	Safety briefing at start of the tour with any specific risk areas indicated during the tour.	Tour guide	<b>Low</b>	Cave Manager
Hurricane lanterns	<b>Medium</b>	Warning notices in entrance hall. Safety briefing at start of the tour. Lanterns should not be given to children.	Cave Manager Tour guide Group leaders	<b>Low</b>	Cave Manager
Lack of light on tour	<b>Medium</b>	Safety briefing at start of the tour. The adults carrying the Hurricane Lanterns should disperse themselves appropriately throughout the group to ensure an even spread of light.	Tour guide Group leaders	<b>Low</b>	Cave Manager
Other safety controls	Our Tour guides practice Continual Risk Assessment (CRA) throughout the tours to minimize any risk to the public.		The overall risk after all controls are implemented is low.		